



ROY COOPER
Governor

MICHAEL S. REGAN
Secretary

MICHAEL A. ABRACZINSKAS
Director

DRAFT

Mr. Dan Flint
Plant Director of Operations
OMNOVA Solutions, Inc.
2011 Rocky River Road
Monroe, NC 28110

SUBJECT: Air Quality Permit No. 03281T27
Facility ID: 9000117
OMNOVA Solutions, Inc.
Monroe, Union County
Fee Class: Title V
PSD/NSR Class: Major

Dear Mr. Flint:

In accordance with your completed Air Quality Permit Application for a permit renewal under 15A NCAC 02Q .0513 received January 30, 2017, we are forwarding herewith Air Quality Permit No. 03281T27 to OMNOVA Solutions, Inc., 2011 Rocky River Road, Monroe, North Carolina authorizing the construction and operation, of the emission source(s) and associated air pollution control device(s) specified herein. Additionally, any emissions activities determined from your Air Quality Permit Application as being insignificant per 15A North Carolina Administrative Code 02Q .0503(8) have been listed for informational purposes as an "ATTACHMENT." Please note the requirements for the annual compliance certification are contained in General Condition P in Section 3. The current owner is responsible for submitting a compliance certification for the entire year regardless of who owned the facility during the year.

As the designated responsible official it is your responsibility to review, understand, and abide by all of the terms and conditions of the attached permit. It is also your responsibility to ensure that any person who operates any emission source and associated air pollution control device subject to any term or condition of the attached permit reviews, understands, and abides by the condition(s) of the attached permit that are applicable to that particular emission source.

If any parts, requirements, or limitations contained in this Air Quality Permit are unacceptable to you, you have the right to request a formal adjudicatory hearing within 30 days following receipt of this permit, identifying the specific issues to be contested. This hearing request must be in the form of a written petition, conforming to NCGS (North Carolina General Statutes) 150B-23, and filed with both the Office of Administrative Hearings, 6714 Mail Service Center, Raleigh, North Carolina 27699-6714 and the Division of Air Quality, Permitting Section, 1641 Mail Service Center, Raleigh, North Carolina 27699-1641. The form for requesting a formal adjudicatory hearing may be obtained upon request from the Office of Administrative Hearings. Please note that this permit will be stayed in its entirety upon receipt of the request for a hearing. Unless a request for a hearing is made pursuant to NCGS 150B-23, this Air Quality Permit shall be final and binding 30 days after issuance.

You may request modification of your Air Quality Permit through informal means pursuant to NCGS 150B-22. This request must be submitted in writing to the Director and must identify the specific provisions or issues for which the modification is sought. Please note that this Air Quality Permit will become final and binding regardless of a request for informal modification unless a request for a hearing is also made under NCGS 150B-23.

The construction of new air pollution emission source(s) and associated air pollution control device(s), or modifications to the emission source(s) and air pollution control device(s) described in this permit must be covered under an Air Quality Permit issued by the Division of Air Quality prior to construction unless the Permittee has fulfilled the requirements of GS 143-215.108A(b) and received written approval from the Director of the Division of Air Quality to commence construction. Failure to receive an Air Quality Permit or written approval prior to commencing construction is a violation of GS 143-215.108A and may subject the Permittee to civil or criminal penalties as described in GS 143-215.114A and 143-215.114B.

Union County has not triggered increment tracking under PSD for any pollutants, so no tracking is required.

This Air Quality Permit shall be effective from XXXX until XXXX, is nontransferable to future owners and operators, and shall be subject to the conditions and limitations as specified therein. Should you have any questions concerning this matter, please contact Kevin Godwin, at (919) 707-8480 or kevin.godwin@ncdenr.gov.

Sincerely yours,

William D. Willets, P.E., Chief, Permitting Section
Division of Air Quality, NCDEQ

Enclosure

cc: Heather Ceron, EPA Region 4 (with review)
Mooresville Regional Office
Connie Horne (cover letter only)
Central Files

OMNOVA Solutions, Inc.
Air Quality Permit No. 03281T27

ATTACHMENT 1: Summary of Changes to the Permit

Pages	Section	Description of Changes
Cover letter	N/A	Amended application type; permit revision numbers, dates and included updated letterhead.
1	Permit cover page	Amended permit revision numbers and all dates.
N/A	All, Header	Updated permit revision number. Added 0 to 2D and 2Q regulations.
3	Footnote to Section 1 Table	Removed footnote pertaining to minor modification under 15A NCAC 02Q .0515.
5	2.1 A. 3.c.	Removed monthly visible emissions Monitoring, Recordkeeping, and Reporting under 15A NCAC 0521.
Global	Global	Replaced the word assure with ensure throughout permit, except General Conditions.
13	3	Updated General Conditions to latest shell version (v5.0).

OMNOVA Solutions, Inc.
Air Quality Permit No. 03281T27

ATTACHMENT 2: Insignificant Activities Pursuant to 15A NCAC 02Q .0503(8)

Source ID No.	Source Description
IC-130	Ink mix room used to mix and blend inks, coatings, and solvents for production.
IC-150	Press room mixers & miscellaneous cleaning process to clean mixers and misc. items.
IC-160	R&D, QC and color match areas used to develop color, customer samples and engineer product.
IC-170	Solvent tank farm consisting of fourteen tanks: <ul style="list-style-type: none">• Eight (8) tanks at 3000 gallons each• Three (3) vertical solvent tanks at 6000 gallons each• Three (3) tanks at 6000 gallon each used for recyclable material
IC-180	Propane storage tank & vaporizer at 30,000 gallons. L.P. tank used to replace natural gas usage when the gas company curtails the facility.
IC-190	Floor cleaning - press room manual mop and bucket process used to clean the floor.
IC-200	Container, tank and vessel cleaning process of cleaning the tanks of leftover ink residues for reuse.
IC-220	Maintenance activities
IES12	Cleaver Brooks boiler natural gas/LPG-fired boiler (5.23 million Btu per max heat input)
IC-GEN1 MACT Subpart ZZZZ	Natural gas-fired emergency generator (170 kilowatts)

1. Because an activity is insignificant does not mean that the activity is exempted from an applicable requirement or that the Permittee is exempted from demonstrating compliance with any applicable requirement.
2. When applicable, emissions from stationary source activities identified above shall be included in determining compliance with the permit requirements for toxic air pollutants under 15A NCAC 02D .1100 "Control of Toxic Air Pollutants" or 02Q .0711 "Emission Rates Requiring a Permit."
3. For additional information regarding the applicability of MACT or GACT see the DAQ page titled "Specific Permit Conditions Regulatory Guide." The link to this site is as follows: <http://deq.nc.gov/about/divisions/air-quality/air-quality-permits/specific-permit-conditions-regulatory-guide>.



State of North Carolina
Department of Environmental Quality
Division of Air Quality

AIR QUALITY PERMIT

Permit No.	Replaces Permit No.(s)	Effective Date	Expiration Date
03281T27	03281T26	DRAFT	DRAFT

Until such time as this permit expires or is modified or revoked, the below named Permittee permitted to construct and operate the emission source(s) and associated air pollution control device(s) specified herein, in accordance with the terms, conditions, and limitations within this permit. This permit is issued under the provisions of Article 21B of Chapter 143, General Statutes of North Carolina as amended, and Title 15A North Carolina Administrative Codes (15A NCAC), Subchapters 2D and 2Q, and other applicable Laws.

Pursuant to Title 15A NCAC, Subchapter 2Q, the Permittee shall not construct, operate, or modify any emission source(s) or air pollution control device(s) without having first submitted a complete Air Quality Permit Application to the permitting authority and received an Air Quality Permit, except as provided in this permit.

Permittee: **OMNOVA Solutions, Inc.**

Facility ID: **03/90/00117**

Facility Site Location: **2011 Rocky River Road, North**
City, County, State, Zip: **Monroe, Union, North Carolina 28110**

Mailing Address: **2011 Rocky River Road, North**
City, State, Zip: **Monroe, North Carolina 28110**

Application Number: **9000117.17A**
Complete Application Date: **January 30, 2017**

Primary SIC Code: **2754**
Division of Air Quality, **Mooreville Regional Office**
Regional Office Address: **610 East Center Avenue, Suite 301**
Mooreville, NC 28115

Permit issued this the XXnd day of XX, XXXX.

William D. Willets P.E., Chief, Permitting Section
By Authority of the Environmental Management Commission

Table of Contents

SECTION 1: PERMITTED EMISSION SOURCE(S) AND ASSOCIATED AIR POLLUTION
CONTROL DEVICE(S) AND APPURTENANCES

SECTION 2: SPECIFIC LIMITATIONS AND CONDITIONS

- 2.1- Emission Source(s) Specific Limitations and Conditions (Including specific
requirements, testing, monitoring, recordkeeping, and reporting requirements)
- 2.2- Multiple Emission Source(s) Specific Limitations and Conditions (Including specific
requirements, testing, monitoring, recordkeeping, and reporting requirements)

SECTION 3: GENERAL PERMIT CONDITIONS

ATTACHMENT

List of Acronyms

SECTION 1- PERMITTED EMISSION SOURCE (S) AND ASSOCIATED AIR POLLUTION CONTROL DEVICE (S) AND APPURTENANCES

The following table contains a summary of all permitted emission sources and associated air pollution control devices and appurtenances:

Emission Source ID No.	Emission Source Description	Control Device ID No.	Control Device Description
1 RACT CAM	One rotogravure printing press (six-stage)	C2 and/or C3 ²	One natural gas/propane-fired regenerative thermal oxidizer (8 million Btu per hour heat input) One natural gas/propane-fired regenerative thermal oxidizer (15 million Btu per hour heat input)
2 RACT CAM	One rotogravure printing press (seven-stage)		
6 RACT CAM	One rotogravure printing press (six-stage) (no vinyl to be printed on press ID No. 6)		
3 RACT CAM	One rotogravure printing presses (six-stage) ¹		
4 RACT CAM	One rotogravure printing press (two-stage) ¹		

Note: The entire facility was located in a Moderate NAA and underwent a RACT review under application 9000117.08A and Permit No. 0381T24.

¹ When running solvent-based inks at printing presses (ID Nos. 3 and 4), the presses exhaust must be vented to the thermal oxidizer. When running water-based inks at presses (ID Nos. 3 and 4), the presses exhaust is allowed to be vented directly to atmosphere.

SECTION 2 - SPECIFIC LIMITATIONS AND CONDITIONS

2.1- Emission Source(s) and Control Devices(s) Specific Limitations and Conditions

The emission source(s) and associated air pollution control device(s) and appurtenances listed below are subject to the following specific terms, conditions, and limitations, including the testing, monitoring, recordkeeping, and reporting requirements as specified herein:

A. - Five rotogravure printing presses (ID No. 1, 2, 3, 4, and 6) and associated natural gas/propane-fired thermal oxidizers (ID Nos. C2 and C3)

The following provides a summary of limits and/or standards for the emission source(s) described above:

Regulated Pollutant	Limits/Standards	Applicable Regulation
particulate matter	$E = 4.10P^{0.67}$ where E = allowable emission rate in pounds per hour P = process weight in tons per hour	15A NCAC 02D .0515
sulfur dioxide	for thermal oxidizers ID Nos. C2 and C3: 2.3 pounds per million Btu heat input	15A NCAC 02D .0516
visible emissions	less than 20 percent opacity	15A NCAC 02D .0521
volatile organic compounds	Recordkeeping and reporting of annual emissions	15A NCAC 02D .0531(n)
	Compliance Assurance Monitoring (CAM)	15A NCAC 02D .0614
	Work practice standards - See Section 2.2 A.1.	15A NCAC 02D .0958
	Thermal oxidizers shall be operated at all times, except as specified in Section 2.2. A.2.d	15A NCAC 02D .0959
toxic air pollutants	See Section 2.2 A.2.	15A NCAC 02Q .0711
hazardous air pollutants (HAP)	Less than 10 tpy individual HAP or 25 tpy combined HAP - See Section 2.2 B.	15A NCAC 02Q .0317 for avoidance of 15A NCAC 02D .1111

1. 15A NCAC 02D .0515: PARTICULATES FROM MISCELLANEOUS INDUSTRIAL PROCESSES

- a. Emissions of particulate matter from the five rotogravure printing presses (**ID Nos. 1, 2, 3, 4, and 6**) these sources shall not exceed an allowable emission rate as calculated by the following equation: [15A NCAC 02D .0515(a)]

$$E = 4.10 \times P^{0.67}$$

Where E = allowable emission rate in pounds per hour
P = process weight in tons per hour

Liquid and gaseous fuels and combustion air are not considered as part of the process weight.

Testing [15A NCAC 02Q .0508(f)]

- b. If emissions testing is required, the testing shall be performed in accordance with General Condition JJ. If the results of this test are above the limit given in Section 2.1 A. 1. a. above, the Permittee shall be deemed in noncompliance with 15A NCAC 2D .0515.

Monitoring/Recordkeeping/Reporting [15A NCAC 02Q .0508(f)]

- c. No monitoring, recordkeeping or reporting is required for particulate matter emissions from these sources.

2. 15A NCAC 02D .0516: SULFUR DIOXIDE EMISSIONS FROM COMBUSTION SOURCES

- a. Emissions of sulfur dioxide from the fuel burning sources shall not exceed 2.3 pounds per million Btu heat input. Sulfur dioxide formed by the combustion of sulfur in fuels, wastes, ores, and other substances shall be included when determining compliance with this standard. [15A NCAC 02D .0516]

Testing [15A NCAC 02Q .0508(f)]

- b. If emissions testing is required, the testing shall be performed in accordance with General Condition JJ. If the results of this test are above the limit given in Section 2.1 A. 2. a. above, the Permittee shall be deemed in noncompliance with 15A NCAC 2D .0516.

Monitoring/Recordkeeping/Reporting [15A NCAC 02D .0501(c)(4)]

- c. No monitoring/recordkeeping/reporting is required for sulfur dioxide emissions from the firing of natural gas/propane in these sources.

3. 15A NCAC 02D .0521: CONTROL OF VISIBLE EMISSIONS

- a. Visible emissions from the sources (**ID Nos. 1, 2, 3, 4, and 6**) shall not be more than 20 percent opacity when averaged over a six-minute period. However, six-minute averaging periods may exceed 20 percent not more than once in any hour and not more than four times in any 24-hour period. In no event shall the six-minute average exceed 87 percent opacity. [15A NCAC 02D .0521 (d)]

Testing [15A NCAC 02Q .0508(f)]

- b. If emissions testing is required, the testing shall be performed in accordance with General Condition JJ. If the results of this test are above the limit given in Section 2.1 A. 3. a. above, the Permittee shall be deemed in noncompliance with 15A NCAC 02D .0521.

Monitoring [15A NCAC 02Q .0508(f)]

- c. No monitoring, recordkeeping, or reporting are required.

4. 15A NCAC 02D. 0531(n): USE OF PROJECTED ACTUAL EMISSIONS TO AVOID APPLICABILITY OF NONATTAINMENT NEW SOURCE REVIEW

- a. The Permittee has used projected actual emissions to avoid applicability of Nonattainment New Source Review requirements for the modification to add thermal oxidizer (**ID No. C3**). In order to verify the assumptions used in the projected actual emissions calculations, the Permittee shall comply with the testing, record keeping and reporting requirements in Sections 2.1.A.4. b. through d. below.

Testing [15A NCAC 02Q .0508(f)]

- b. If emissions testing is required, the testing shall be performed in accordance General Condition JJ.

Recordkeeping [15A NCAC 02D .0531(n)]

- c. The Permittee shall maintain records of annual emissions of VOC emitted by presses (**ID Nos. 1, 2, 3, 4, and 6**) in tons per year, on a calendar year basis for five years following resumption of regular operations after the change. The Permittee shall make the information documented and maintained under this Paragraph available to the Director and the general public pursuant to the requirements in 40 CFR 70.4(b)(3)(viii). The Permittee shall be deemed in noncompliance with 15A NCAC 02D .0531(n) if these records are not maintained.

Reporting [15A NCAC 02D .0531(n)]

- d. The Permittee shall submit a report of actual emissions of VOC emitted by presses (**ID Nos. 1, 2, 3, 4, and 6**) to the Director within 60 days after the end of each calendar year during which the records in Section 2.1.A.4.c. must be generated. The report shall contain the following items, as listed in 40 CFR 51.166(r)(6)(v)(a) through (c):
- i. The name, address and telephone number of the Permittee;
 - ii. The annual emissions of VOC emitted by presses (**ID Nos. 1, 2, 3, 4, and 6**); and
 - iii. Any other information that the Permittee wishes to include in the report (e.g., an explanation as to why the emissions differ from the preconstruction projection).

5. 15A NCAC 02D .0614: COMPLIANCE ASSURANCE MONITORING

- a. Per 40 CFR 64 and 15A NCAC 02D .0614, the Permittee shall comply with the following.
- b. **Background.**
- i. **Emission Unit(s).**
- A. Description.
1. One rotogravure printing press (six-stage) (ID No. 1)
 2. One rotogravure printing press (seven-stage) (ID No. 2)
 3. One rotogravure printing press (six-stage) (ID No. 6)
 4. One rotogravure printing presses (six-stage) (ID No. 3)
 5. One rotogravure printing press (two-stage) (ID No. 4)
- ii. **Applicable Regulation(s), Emission Limit(s), and Monitoring Requirements.**
- A. Regulation(s):
1. 15A NCAC 02D .0959, Petition for Superior Alternative Controls
- B. Control Technology.
1. One natural gas/propane-fired regenerative thermal oxidizer (79.3 million Btu per hour heat input) (ID No. C2), or
 2. One natural gas-fired thermal oxidizer (15 million Btu per hour heat input) (ID No. C3).
- c. **Monitoring Approach.** The key elements of the monitoring approach for VOCs, including parameters to be monitored, parameter ranges, and performance criteria are presented in the following table. The selected performance indicator is the chamber temperature of the oxidizers.

Measure	Indicator No. 1
I. Indicator	Chamber temperature
Measuring approach	The chamber temperature is measured with a thermocouple and programmable logic controller.
II. Indicator Range	<p>The set point indicator is the following:</p> <ul style="list-style-type: none"> • Temperature readings from 1400 °F to 1600 °F for the Regenerative Thermal Oxidizer (Source ID: C2) • Temperature readings from 1500 °F to 1650 °F for the Regenerative Thermal Oxidizer (Source ID: C3); <p>Excursions of temperatures below the minimum set point trigger a fault alarm and corrective action.</p>
III. Performance Criteria	A minimum of two (2) thermocouples are located in each chamber.
IV. Verification of Operational Status	Programmable logic controller is equipped with fault alarms and deductive reasoning to confirm or respond to operation upset.
V. Monitoring Frequency	Temperature in the combustion chamber will be continuously monitored and recorded every fifteen minutes per 40 CFR Part 64.3 (b) (4) (ii).
VI. Data Collection Procedure	Temperature is continuously recorded electronically at a minimum of once per shift. Written logs and/or printouts are generated and maintained for fault alarms and maintenance.
VII. Averaging Period	Temperature is recorded every fifteen minutes per 40 CFR Part 64.3 (b) (4) (ii).

Reporting [15A NCAC 02Q .0508(f)]

- c. The Permittee shall submit a summary report of all monitoring activities postmarked on or before January 30 of each calendar year for the preceding six-month period between July and December and July 30 of each calendar year for the preceding six-month period between January and June. All instances of deviations from the requirements of this permit must be clearly identified.

6. 15A NCAC 2D .0959: PETITION FOR SUPERIOR ALTERNATIVE CONTROLS

- a. This rule applies to all sources covered under Section 2D .0900 and specifically subject to Rule 2D .0951, Miscellaneous Volatile Organic Compound Emissions.
- b. The Permittee has demonstrated that alternative VOC emissions control (thermal oxidizers) is superior to the requirements of 15A NCAC 2D .0951.
- c. The Director has granted the petition allowing the use of superior alternative controls for the reduction of volatile organic compound emissions.

Testing [15A NCAC 02Q .0508(f)]

- d. If emissions testing is required, the testing shall be performed in accordance with General Condition JJ. If the results of this test are above the limit given in Section 2.2 C.1. a below, the Permittee shall be deemed in noncompliance with 15A NCAC 2D .0951.

Monitoring/Recordkeeping/Reporting [15A NCAC 02D .0903(f)]

- e. The monitoring, recordkeeping or reporting as required by Section 2.2 C.1. a. through h. shall be sufficient in demonstrating compliance with this rule. No additional monitoring, recordkeeping or reporting shall be required. If the monitoring and recordkeeping are not performed, the Permittee shall be deemed in noncompliance with 15A NCAC 2D .0951.

2.2 - Multiple Emission Source(s) Specific Limitations and Conditions**A. Facility Wide Emission Sources**

The following table provides a summary of limits and standards for the emission source(s) describe above:

Regulated Pollutant	Limits/Standards	Applicable Regulation
volatile organic compounds	work practice standards	15A NCAC 02D .0958
toxic air pollutants	State-enforceable only - See Section 2.2 A.2	15A NCAC 02Q .0711

1. 15A NCAC 02D .0958: WORK PRACTICES FOR SOURCES OF VOLATILE ORGANIC COMPOUNDS

- a. Pursuant to 15A NCAC 02D .0958, for all sources that use volatile organic compounds (VOC) as solvents, carriers, material processing media, or industrial chemical reactants, or in similar uses that mix, blend, or manufacture volatile organic compounds, or emit volatile organic compounds as a product of chemical reactions, the Permittee shall:
 - i. store all material, including waste material, containing volatile organic compounds in tanks or in containers covered with a tightly fitting lid that is free of cracks, holes, or other defects, when not in use,
 - ii. clean up spills of volatile organic compounds as soon as possible following proper safety procedures,
 - iii. store wipe rags containing volatile organic compounds in closed containers,
 - iv. not clean sponges, fabric, wood, paper products, and other absorbent materials with volatile organic compounds,
 - v. transfer solvents containing volatile organic compounds used to clean supply lines and other coating equipment into closable containers and close such containers immediately after each use, or transfer such solvents to closed tanks, or to a treatment facility regulated under section 402 of the Clean Water Act,
 - vi. clean mixing, blending, and manufacturing vats and containers containing volatile organic compounds by adding cleaning solvent and close the vat or container before agitating the cleaning solvent. The spent cleaning solvent shall then be transferred into a closed container, a closed tank or a treatment facility regulated under section 402 of the Clean Water Act. [15A NCAC 02D .0958(c)]
- b. When cleaning parts with a solvent containing a volatile organic compound, the Permittee shall:
 - i. flush parts in the freeboard area,
 - ii. take precautions to reduce the pooling of solvent on and in the parts,

- iii. tilt or rotate parts to drain solvent and allow a minimum of 15 seconds for drying or until all dripping has stopped, whichever is longer,
- iv. not fill cleaning machines above the fill line,
- V. not agitate solvent to the point of causing splashing. [15A NCAC 02D .0958(d)]

Monitoring [15A NCAC 02Q .0508(f)]

- c. To ensure compliance with paragraphs (a) and (b) above, the Permittee shall, at a minimum, perform a visual inspection once per month of all operations and processes utilizing volatile organic compounds. The inspections shall be conducted during normal operations. If the required inspections are not conducted the Permittee shall be deemed to be in noncompliance with 15A NCAC 02D .0958.

Recordkeeping [15A NCAC 02Q .0508(f)]

- d. The results of the inspections shall be maintained in a log (written or electronic format) on-site and made available to an authorized representative upon request. The log shall record the following:
 - i. the date and time of each inspection; and
 - ii. the results of each inspection noting whether or not noncompliant conditions were observed.
 If the required records are not maintained, the Permittee shall be deemed to be in noncompliance with 15A NCAC 02D .0958.

Reporting [15A NCAC 02Q .0508(f)]

- e. The Permittee shall submit a summary report of the observations on or before January 30 of each calendar year for the preceding six-month period between July and December and July 30 of each calendar year for the preceding six-month period between January and June. All instances of deviations from the requirements of this permit must be clearly identified.

State-Enforceable Only**2. 15A NCAC 02Q .0711: EMISSION RATES REQUIRING A PERMIT**

Pursuant to 15A NCAC 02Q .0711, for each of the below listed toxic air pollutants (TAPs), the Permittee has made a demonstration that facility-wide actual emissions do not exceed the Toxic Permit Emission Rates (TPERs) listed in 15A NCAC 02Q .0711.

- a. In accordance with the approved application, the Permittee shall maintain records of operational information demonstrating that the toxic air pollutant emissions do not exceed the TPERs as listed below.
- b. A permit to emit any of the below listed TAPs shall be required for this facility if actual emissions from all sources will become greater than the corresponding TPER.
- c. PRIOR to exceeding any of these listed TPERs, the Permittee shall be responsible for obtaining a permit to emit TAPs and for demonstrating compliance with the requirements of 15A NCAC 02D .1100, "Control of Toxic Air Pollutants."

Pollutant	Carcinogens (lb/yr)	Chronic Toxicants (lb/day)	Acute Systemic Toxicants (lb/hr)	Acute Irritants (lb/hr)
Chromic acid		0.013		
Ethyl acetate			36	
Formaldehyde				0.04
Hydrogen chloride				0.18
Methyl ethyl ketone		78		22.4
Methyl isobutyl ketone		52		7.6
Sulfuric acid		0.25	0.025	
Toluene		98		14.4
Toluene diisocyanate - 2,4 and 2,6 isomers		0.003		
Xylene		57		16.4

- d. When using solvent-based inks, the five rotogravure printing presses (**ID. Nos. 1, 2, 3, 4, and 6**) shall vent to one of the two thermal oxidizers (**ID Nos. C2 and C3**). When using Alcohol/water based inks, the presses (ID Nos. 3 and 4) may vent to the atmosphere uncontrolled. In order to comply with this condition, the Permittee shall keep records of the types of inks being used at presses (**ID Nos. 3 and 4**) and when the sources are vented to the oxidizers.
- e. At no time shall the Permittee vent more than four of the five rotogravure printing presses (**ID. Nos. 1, 2, 3, 4, and 6**) to one of the two thermal oxidizers (**ID. Nos. C2 and C3**) and at no time shall the volume of the exhaust routed to the oxidizers exceed the design volume.

B. Facility Wide Emission Sources

The above emission sources are subject to this multiple emission source limit:

Regulated Sources	Limits/Standards	Applicable Regulation
HAPs	less than 10 tons per year of any individual HAP and less than 25 tons per year of a combination of HAPs	15A NCAC 02Q .0317 for avoidance of 15A NCAC 2D .1111

1. 15A NCAC 2Q .0317 FOR AVOIDANCE OF 15A NCAC 2D .1111: MAXIMUM ACHIEVABLE CONTROL TECHNOLOGY

- a. In order to remain classified a minor source for hazardous air pollutants and avoid applicability of this regulation, facility emissions shall be less than:
 - i. 10 tons per year of each individual hazardous air pollutant, and
 - ii. 25 tons per year of all hazardous air pollutants combined.

The Permittee shall be deemed in noncompliance with this condition and 2D .1111 (40 CFR Part 63 Subpart KK entitled "National Emission Standards for the Printing and Publishing Industry") if the HAP emissions exceed this limit.

Monitoring/Recordkeeping [15A NCAC 02Q .0508(f)]

- b. The Permittee shall maintain monthly consumption records of each material used containing hazardous air pollutants-as follows:
 - i. quantity of individual hazardous air pollutants in pounds used by the plant each month and for the 12-month period ending on that month,
 - ii. quantity of all hazardous air pollutants in pounds used by the plant each month and for the 12-month period ending on that month.

The Permittee shall be deemed in noncompliance with 15A NCAC 02D .1111 if these HAP emissions are not monitored or records are not maintained.

Reporting [15A NCAC 02Q .0508(f)]

- c. The Permittee shall submit to the Regional Supervisor, Division of Air Quality, each quarter, a report summarizing emissions of hazardous air pollutants containing the following:
 - i. greatest quantity in pounds of an individual hazardous air pollutant used:
 - a. for each month during the quarter, and
 - b. for each 12-month period ending on each month during the quarter using a 12-month rolling average;
 - ii. pounds of all hazardous air pollutants used:
 - a. for each month during the quarter, and
 - b. for each 12-month period ending on each month during the quarter using a 12-month rolling average.

C. Facility Wide Emission Sources

The following table provides a summary of limits and standards for the emission source(s) describe above:

Regulated Pollutant	Limits/Standards	Applicable Regulation
volatile organic compounds	less than 250 tons per year	15A NCAC 02Q .0317 for avoidance of 15A NCAC 02D .0530

1. 15A NCAC 02Q .0317 for avoidance of 15A NCAC 02D. 0530: PREVENTION OF SIGNIFICANT DETERIORATION

To comply with this permit and to avoid applicability of 15A NCAC 2D .0530, "Prevention of Significant Deterioration", as requested by the Permittee, volatile organic compound (VOC) emissions from the rotogravure printing presses (**ID Nos. 1, 2, 3, 4 and 6**) shall be less than 250 tons per year, calculated each month for the previous twelve (12) months. To ensure that VOC emissions are less than the tons per year limit, the following shall not be exceeded:

- a. The total, facility-wide, VOC emissions shall not exceed the daily limit as calculated at the end of the month, for the next month, by the following formula:

$$L = 64.51 (250.0 - E_{11}) \quad (\text{Eq. 1})$$

where:

L = The total, facility-wide, daily VOC emissions limit in pounds per day, calculated at the end of the month for the following monthly period.

E₁₁ = The total, facility-wide VOC emissions summary in tons, for the eleven (11) months directly preceding the monthly period for which the daily VOC emissions limit ("L" above) is being calculated.

- b. Calculations of the estimated VOC emissions per day shall be made at the end of each workday using the Equation 2 below:

$$\text{VOC} = \sum_{i=1}^n G_i W_i P_i (1.0 - C_i) 0.70 \quad (\text{Eq. 2})$$

where:

VOC = The estimated daily VOC emissions based on a historical waste stream data, in units of pounds.

i = Subscript denoting a specific solvent or ink used at the facility each day.

n = The number of different solvents and/or inks used at the facility each day.

G_i = The amount of each solvent or ink used that day in units of gallons.

W_i = The weight of each solvent or ink used that day in units of pounds per gallon.

P_i = The fractional VOC content by weight in each solvent or ink used each day.

0.70 = The assumed waste factor.

C_i = The applicable overall VOC destruction efficiency for any associated control system as determined by approved capture and destruction efficiency testing.

- c. The estimated daily VOC emissions calculations shall be revised on a weekly basis using a correction factor based on information updated weekly from the solvent reclaim and waste operations and the following formula:

$$RVOC = \frac{VOC F}{0.70} \quad (\text{Eq. 3})$$

where:

RVOC = The revised daily facility-wide VOC emissions in units of pounds.

- VOC = The daily VOC emissions estimate (equation 2) being revised in units of pounds.
 0.70 = The assumed waste factor.
 F = The daily waste factor calculated as follows:

$$F = 1.0 - \frac{R}{U} \quad (\text{Eq. 4})$$

where:

- R = The pounds of solvent entering the waste operations (reclaimed or wasted) over a seven day period.
 U = The total pounds of solvent delivered to press operations from the tank farm and the ink supply system over the same seven day period.

The values used in the “R” and “U” variables above shall be determined by multiplying the total amount of each type of VOC-containing material entering the press operations and waste and reclaim operations during the referenced 7-day period by the fractional VOC content by weight (excluding water) of the waste.

Testing [15A NCAC 02Q .0508(f)]

- d. If emissions testing is required, the testing shall be performed in accordance with General Condition JJ. If the results of the test are above the limit given in Section 2.2 C.1. a, the Permittee shall be deemed in noncompliance with 15A NCAC 02D .0530.

Recordkeeping Requirements [15A NCAC 02Q .0508(f)]

- e. The daily calculation and the revised daily calculation of facility-wide VOC emissions and the daily allowable VOC emission rate shall be recorded and maintained in a daily emissions log book. The Permittee shall be deemed in noncompliance with 15A NCAC 2D .0530 if the VOC emissions are not calculated daily, if the records are not maintained, or if the VOC emissions exceed the limit established in Section 2.2 C. 1. a. above.
 f. In addition, the Permittee shall make available to officials of the Division of Air Quality, upon request, copies of the daily emissions log. The Permittee shall keep each entry in the daily emissions log and each monthly record on file for a minimum of five (5) years.

Reporting Requirements [15A NCAC 02Q .0508(f)]

- g. Within thirty (30) days after each calendar year quarter, the Permittee shall submit in writing to the Regional Supervisor, Division of Air Quality, the following information:
 i. The monthly VOC emissions for the previous fourteen (14) months.
 ii. The three twelve (12) month rolling totals VOCs contained in the referenced fourteen (14) month period.
 iii. The daily allowable VOC emissions rate for each month in the referenced fourteen (14) month period as calculated by the formula above.

Thermal Oxidizer Monitoring and Recordkeeping Requirements [15A NCAC 02Q .0508(f)]

- i. The Permittee shall perform periodic inspection and maintenance (I&M) as recommended by the manufacturer. At a minimum, the Permittee shall perform an annual inspection of the primary heat exchanger and associated inlet/outlet valves to ensure structural integrity.
 ii. The results of all inspections and any variances from manufacturer’s recommendations or from those given in this permit shall be investigated with corrections made and dates of action recorded in a log. Records of all I&M and monitoring activities shall also be recorded in a logbook. The logbook (in written or electronic form) shall be kept on-site and made available to DAQ personnel upon request.
 iii. The Permittee shall ensure the proper performance of the thermal oxidizers by monitoring and recording the following operational parameters:
 A) Operating time/temperature recorded and documented in the form of chart recordings.
 B) Record of operating time for the monitoring equipment documented in the form of chart recordings. A log of operating time for the associated printing presses. A log of weekly inspections of the capture system airflow to the control device.
 C) Automatic diversion damper system functionality shall be verified electronically using contact sensors, indicator lights, and a failure-mode alarm.

The Permittee shall be deemed in noncompliance with 15A NCAC 2D .0530 if the monitoring and recordkeeping as required in 2.2.C.1.h are not performed.

D. Facility Wide Emission Sources

The following table provides a summary of limits and standards for the emission source(s) described above:

Regulated Pollutant	Limits/Standards	Applicable Regulation
Odors	State-enforceable only Odorous emissions must be controlled	15A NCAC 02D .1806

State-Enforceable Only

1. **15A NCAC 02D .1806: CONTROL AND PROHIBITION OF ODOROUS EMISSIONS**

- a. The Permittee shall not operate the facility without implementing management practices or installing and operating odor control equipment sufficient to prevent odorous emissions from the facility from causing or contributing to objectionable odors beyond the facility's boundary.

SECTION 3 - GENERAL CONDITIONS (version 5.0, 06/08/2017)

This section describes terms and conditions applicable to this Title V facility.

A. **General Provisions** [NCGS 143-215 and 15A NCAC 02Q .0508(i)(16)]

1. Terms not otherwise defined in this permit shall have the meaning assigned to such terms as defined in 15A NCAC 02D and 02Q.
2. The terms, conditions, requirements, limitations, and restrictions set forth in this permit are binding and enforceable pursuant to NCGS 143-215.114A and 143-215.114B, including assessment of civil and/or criminal penalties. Any unauthorized deviation from the conditions of this permit may constitute grounds for revocation and/or enforcement action by the DAQ.
3. This permit is not a waiver of or approval of any other Department permits that may be required for other aspects of the facility which are not addressed in this permit.
4. This permit does not relieve the Permittee from liability for harm or injury to human health or welfare, animal or plant life, or property caused by the construction or operation of this permitted facility, or from penalties therefore, nor does it allow the Permittee to cause pollution in contravention of state laws or rules, unless specifically authorized by an order from the North Carolina Environmental Management Commission.
5. Except as identified as state-only requirements in this permit, all terms and conditions contained herein shall be enforceable by the DAQ, the EPA, and citizens of the United States as defined in the Federal Clean Air Act.
6. Any stationary source of air pollution shall not be operated, maintained, or modified without the appropriate and valid permits issued by the DAQ, unless the source is exempted by rule. The DAQ may issue a permit only after it receives reasonable assurance that the installation will not cause air pollution in violation of any of the applicable requirements. A permitted installation may only be operated, maintained, constructed, expanded, or modified in a manner that is consistent with the terms of this permit.

B. **Permit Availability** [15A NCAC 02Q .0507(k) and .0508(i)(9)(B)]

The Permittee shall have available at the facility a copy of this permit and shall retain for the duration of the permit term one complete copy of the application and any information submitted in support of the application package. The permit and application shall be made available to an authorized representative of Department of Environmental Quality upon request.

C. **Severability Clause** [15A NCAC 02Q .0508(i)(2)]

In the event of an administrative challenge to a final and binding permit in which a condition is held to be invalid, the provisions in this permit are severable so that all requirements contained in the permit, except those held to be invalid, shall remain valid and must be complied with.

D. **Submissions** [15A NCAC 02Q .0507(e) and 02Q .0508(i)(16)]

Except as otherwise specified herein, two copies of all documents, reports, test data, monitoring data, notifications, request for renewal, and any other information required by this permit shall be submitted to the appropriate Regional Office. Refer to the Regional Office address on the cover page of this permit. For continuous emissions monitoring systems (CEMS) reports, continuous opacity monitoring systems (COMS) reports, quality assurance (QA)/quality control (QC) reports, acid rain CEM certification reports, and NOx budget CEM certification reports, one copy shall be sent to the appropriate Regional Office and one copy shall be sent to:

Supervisor, Stationary Source Compliance
North Carolina Division of Air Quality
1641 Mail Service Center
Raleigh, NC 27699-1641

All submittals shall include the facility name and Facility ID number (refer to the cover page of this permit).

E. **Duty to Comply** [15A NCAC 02Q .0508(i)(3)]

The Permittee shall comply with all terms, conditions, requirements, limitations and restrictions set forth in this permit. Noncompliance with any permit condition except conditions identified as state-only requirements constitutes a violation of the Federal Clean Air Act. Noncompliance with any permit condition is grounds for enforcement action, for permit termination, revocation and reissuance, or modification, or for denial of a permit renewal application.

F. **Circumvention** - STATE ENFORCEABLE ONLY

The facility shall be properly operated and maintained at all times in a manner that will effect an overall reduction in air pollution. Unless otherwise specified by this permit, no emission source may be operated without the concurrent operation of its associated air pollution control device(s) and appurtenances.

G. **Permit Modifications**

1. Administrative Permit Amendments [15A NCAC 02Q .0514]
The Permittee shall submit an application for an administrative permit amendment in accordance with 15A NCAC 02Q .0514.
2. Transfer in Ownership or Operation and Application Submittal Content [15A NCAC 02Q .0524 and 02Q .0505]
The Permittee shall submit an application for an ownership change in accordance with 15A NCAC 02Q.0524 and 02Q .0505.
3. Minor Permit Modifications [15A NCAC 02Q .0515]
The Permittee shall submit an application for a minor permit modification in accordance with 15A NCAC 02Q .0515.
4. Significant Permit Modifications [15A NCAC 02Q .0516]
The Permittee shall submit an application for a significant permit modification in accordance with 15A NCAC 02Q .0516.
5. Reopening for Cause [15A NCAC 02Q .0517]
The Permittee shall submit an application for reopening for cause in accordance with 15A NCAC 02Q .0517.

H. **Changes Not Requiring Permit Modifications**

1. Reporting Requirements

Any of the following that would result in new or increased emissions from the emission source(s) listed in Section 1 must be reported to the Regional Supervisor, DAQ:

- a. changes in the information submitted in the application;
- b. changes that modify equipment or processes; or
- c. changes in the quantity or quality of materials processed.

If appropriate, modifications to the permit may then be made by the DAQ to reflect any necessary changes in the permit conditions. In no case are any new or increased emissions allowed that will cause a violation of the emission limitations specified herein.

2. Section 502(b)(10) Changes [15A NCAC 02Q .0523(a)]

- a. "Section 502(b)(10) changes" means changes that contravene an express permit term or condition. Such changes do not include changes that would violate applicable requirements or contravene federally enforceable permit terms and conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements.
- b. The Permittee may make Section 502(b)(10) changes without having the permit revised if:
 - i. the changes are not a modification under Title I of the Federal Clean Air Act;
 - ii. the changes do not cause the allowable emissions under the permit to be exceeded;
 - iii. the Permittee notifies the Director and EPA with written notification at least seven days before the change is made; and
 - iv. the Permittee shall attach the notice to the relevant permit.
- c. The written notification shall include:
 - i. a description of the change;
 - ii. the date on which the change will occur;
 - iii. any change in emissions; and
 - iv. any permit term or condition that is no longer applicable as a result of the change.
- d. Section 502(b)(10) changes shall be made in the permit the next time that the permit is revised or renewed, whichever comes first.

3. Off Permit Changes [15A NCAC 02Q .0523(b)]

The Permittee may make changes in the operation or emissions without revising the permit if:

- a. the change affects only insignificant activities and the activities remain insignificant after the change; or
- b. the change is not covered under any applicable requirement.

4. Emissions Trading [15A NCAC 02Q .0523(c)]

To the extent that emissions trading is allowed under 15A NCAC 02D, including subsequently adopted maximum achievable control technology standards, emissions trading shall be allowed without permit revision pursuant to 15A NCAC 02Q .0523(c).

I.A Reporting Requirements for Excess Emissions and Permit Deviations [15A NCAC 02D .0535(f) and 02Q .0508(f)(2)]

“Excess Emissions” - means an emission rate that exceeds any applicable emission limitation or standard allowed by any rule in Sections .0500, .0900, .1200, or .1400 of Subchapter 02D; or by a permit condition; or that exceeds an emission limit established in a permit issued under 15A NCAC 02Q .0700. *(Note: Definitions of excess emissions under 02D .1110 and 02D .1111 shall apply where defined by rule.)*

“Deviations” - for the purposes of this condition, any action or condition not in accordance with the terms and conditions of this permit including those attributable to upset conditions as well as excess emissions as defined above lasting less than four hours.

Excess Emissions

1. If a source is required to report excess emissions under NSPS (15A NCAC 02D .0524), NESHAPS (15A NCAC 02D .1110 or .1111), or the operating permit provides for periodic (e.g., quarterly) reporting of excess emissions, reporting shall be performed as prescribed therein.
2. If the source is not subject to NSPS (15A NCAC 02D .0524), NESHAPS (15A NCAC 02D .1110 or .1111), or these rules do NOT define "excess emissions," the Permittee shall report excess emissions in accordance with 15A NCAC 02D .0535 as follows:
 - a. Pursuant to 15A NCAC 02D .0535, if excess emissions last for more than four hours resulting from a malfunction, a breakdown of process or control equipment, or any other abnormal condition, the owner or operator shall:
 - i. notify the Regional Supervisor or Director of any such occurrence by 9:00 a.m. Eastern Time of the Division's next business day of becoming aware of the occurrence and provide:
 - name and location of the facility;
 - nature and cause of the malfunction or breakdown;
 - time when the malfunction or breakdown is first observed;
 - expected duration; and
 - estimated rate of emissions;
 - ii. notify the Regional Supervisor or Director immediately when corrective measures have been accomplished; and
 - iii. submit to the Regional Supervisor or Director within 15 days a written report as described in 15A NCAC 02D .0535(f)(3).

Permit Deviations

3. Pursuant to 15A NCAC 02Q .0508(f)(2), the Permittee shall report deviations from permit requirements (terms and conditions) as follows:
 - a. Notify the Regional Supervisor or Director of all other deviations from permit requirements not covered under 15A NCAC 02D .0535 quarterly. A written report to the Regional Supervisor shall include the probable cause of such deviation and any corrective actions or preventative actions taken. The responsible official shall certify all deviations from permit requirements.

I.B Other Requirements under 15A NCAC 02D .0535

The Permittee shall comply with all other applicable requirements contained in 15A NCAC 02D .0535, including 15A NCAC 02D .0535(c) as follows:

1. Any excess emissions that do not occur during start-up and shut-down shall be considered a violation of the appropriate rule unless the owner or operator of the sources demonstrates to the Director, that the excess emissions are a result of a malfunction. The Director shall consider, along with any other pertinent information, the criteria contained in 15A NCAC 02D .0535(c)(1) through (7).
2. 15A NCAC 02D .0535(g). Excess emissions during start-up and shut-down shall be considered a violation of the appropriate rule if the owner or operator cannot demonstrate that excess emissions are unavoidable.

J. **Emergency Provisions** [40 CFR 70.6(g)]

The Permittee shall be subject to the following provisions with respect to emergencies:

1. An emergency means any situation arising from sudden and reasonably unforeseeable events beyond the control of the facility, including acts of God, which situation requires immediate corrective action to restore normal operation, and that causes the facility to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventive maintenance, careless or improper operation, or operator error.
2. An emergency constitutes an affirmative defense to an action brought for noncompliance with such technology-based emission limitations if the conditions specified in 3. below are met.
3. The affirmative defense of emergency shall be demonstrated through properly signed contemporaneous operating logs or other relevant evidence that include information as follows:
 - a. an emergency occurred and the Permittee can identify the cause(s) of the emergency;
 - b. the permitted facility was at the time being properly operated;
 - c. during the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the standards or other requirements in the permit; and
 - d. the Permittee submitted notice of the emergency to the DAQ within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, steps taken to mitigate emissions, and corrective actions taken.
4. In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
5. This provision is in addition to any emergency or upset provision contained in any applicable requirement specified elsewhere herein.

K. **Permit Renewal** [15A NCAC 02Q .0508(e) and 02Q .0513(b)]

This 15A NCAC 02Q .0500 permit is issued for a fixed term not to exceed five years and shall expire at the end of its term. Permit expiration terminates the facility's right to operate unless a complete 15A NCAC 02Q .0500 renewal application is submitted at least nine months before the date of permit expiration. If the Permittee or applicant has complied with 15A NCAC 02Q .0512(b)(1), this 15A NCAC 02Q .0500 permit shall not expire until the renewal permit has been issued or denied. Permit expiration under 15A NCAC 02Q .0400 terminates the facility's right to operate unless a complete 15A NCAC 02Q .0400 renewal application is submitted at least six months before the date of permit expiration for facilities subject to 15A NCAC 02Q .0400 requirements. In either of these events, all terms and conditions of these permits shall remain in effect until the renewal permits have been issued or denied.

L. **Need to Halt or Reduce Activity Not a Defense** [15A NCAC 02Q .0508(i)(4)]

It shall not be a defense for a Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

M. **Duty to Provide Information (submittal of information)** [15A NCAC 02Q .0508(i)(9)]

1. The Permittee shall furnish to the DAQ, in a timely manner, any reasonable information that the Director may request in **writing** to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit.
2. The Permittee shall furnish the DAQ copies of records required to be kept by the permit when such copies are requested by the Director. For information claimed to be confidential, the Permittee may furnish such records directly to the EPA upon request along with a claim of confidentiality.

N. **Duty to Supplement** [15A NCAC 02Q .0507(f)]

The Permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information to the DAQ. The Permittee shall also provide additional information as necessary to address any requirement that becomes applicable to the facility after the date a complete permit application was submitted but prior to the release of the draft permit.

O. **Retention of Records** [15A NCAC 02Q .0508(f) and 02Q .0508 (l)]

The Permittee shall retain records of all required monitoring data and supporting information for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Supporting information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring information, and copies of all reports required by the permit. These records shall be maintained in a form suitable and

readily available for expeditious inspection and review. Any records required by the conditions of this permit shall be kept on site and made available to DAQ personnel for inspection upon request.

P. **Compliance Certification** [15A NCAC 02Q .0508(n)]

The Permittee shall submit to the DAQ and the EPA (Air and EPCRA Enforcement Branch, EPA, Region 4, 61 Forsyth Street SW, Atlanta, GA 30303) postmarked on or before March 1 a compliance certification (for the preceding calendar year) by a responsible official with all federally-enforceable terms and conditions in the permit, including emissions limitations, standards, or work practices. It shall be the responsibility of the current owner to submit a compliance certification for the entire year regardless of who owned the facility during the year. The compliance certification shall comply with additional requirements as may be specified under Sections 114(a)(3) or 504(b) of the Federal Clean Air Act. The compliance certification shall specify:

1. the identification of each term or condition of the permit that is the basis of the certification;
2. the compliance status (with the terms and conditions of the permit for the period covered by the certification);
3. whether compliance was continuous or intermittent; and
4. the method(s) used for determining the compliance status of the source during the certification period.

Q. **Certification by Responsible Official** [15A NCAC 02Q .0520]

A responsible official shall certify the truth, accuracy, and completeness of any application form, report, or compliance certification required by this permit. All certifications shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

R. **Permit Shield for Applicable Requirements** [15A NCAC 02Q .0512]

1. Compliance with the terms and conditions of this permit shall be deemed compliance with applicable requirements, where such applicable requirements are included and specifically identified in the permit as of the date of permit issuance.
2. A permit shield shall not alter or affect:
 - a. the power of the Commission, Secretary of the Department, or Governor under NCGS 143-215.3(a)(12), or EPA under Section 303 of the Federal Clean Air Act;
 - b. the liability of an owner or operator of a facility for any violation of applicable requirements prior to the effective date of the permit or at the time of permit issuance;
 - c. the applicable requirements under Title IV; or
 - d. the ability of the Director or the EPA under Section 114 of the Federal Clean Air Act to obtain information to determine compliance of the facility with its permit.
3. A permit shield does not apply to any change made at a facility that does not require a permit or permit revision made under 15A NCAC 02Q .0523.
4. A permit shield does not extend to minor permit modifications made under 15A NCAC 02Q .0515.

S. **Termination, Modification, and Revocation of the Permit** [15A NCAC 02Q .0519]

The Director may terminate, modify, or revoke and reissue this permit if:

1. the information contained in the application or presented in support thereof is determined to be incorrect;
2. the conditions under which the permit or permit renewal was granted have changed;
3. violations of conditions contained in the permit have occurred;
4. the EPA requests that the permit be revoked under 40 CFR 70.7(g) or 70.8(d); or
5. the Director finds that termination, modification, or revocation and reissuance of the permit is necessary to carry out the purpose of NCGS Chapter 143, Article 21B.

T. **Insignificant Activities** [15A NCAC 02Q .0503]

Because an emission source or activity is insignificant does not mean that the emission source or activity is exempted from any applicable requirement or that the owner or operator of the source is exempted from demonstrating compliance with any applicable requirement. The Permittee shall have available at the facility at all times and made available to an authorized representative upon request, documentation, including calculations, if necessary, to demonstrate that an emission source or activity is insignificant.

U. **Property Rights** [15A NCAC 02Q .0508(i)(8)]

This permit does not convey any property rights in either real or personal property or any exclusive privileges.

V. **Inspection and Entry** [15A NCAC 02Q .0508(l) and NCGS 143-215.3(a)(2)]

1. Upon presentation of credentials and other documents as may be required by law, the Permittee shall allow the DAQ, or an authorized representative, to perform the following:
 - a. enter the Permittee's premises where the permitted facility is located or emissions-related activity is conducted, or where records are kept under the conditions of the permit;
 - b. have access to and copy, at reasonable times, any records that are required to be kept under the conditions of the permit;
 - c. inspect at reasonable times and using reasonable safety practices any source, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
 - d. sample or monitor substances or parameters, using reasonable safety practices, for the purpose of assuring compliance with the permit or applicable requirements at reasonable times.

Nothing in this condition shall limit the ability of the EPA to inspect or enter the premises of the Permittee under Section 114 or other provisions of the Federal Clean Air Act.

2. No person shall refuse entry or access to any authorized representative of the DAQ who requests entry for purposes of inspection, and who presents appropriate credentials, nor shall any person obstruct, hamper, or interfere with any such authorized representative while in the process of carrying out his official duties. Refusal of entry or access may constitute grounds for permit revocation and assessment of civil penalties.

W. **Annual Fee Payment** [15A NCAC 02Q .0508(i)(10)]

1. The Permittee shall pay all fees in accordance with 15A NCAC 02Q .0200.
2. Payment of fees may be by check or money order made payable to the N.C. Department of Environmental Quality. Annual permit fee payments shall refer to the permit number.
3. If, within 30 days after being billed, the Permittee fails to pay an annual fee, the Director may initiate action to terminate the permit under 15A NCAC 02Q .0519.

X. **Annual Emission Inventory Requirements** [15A NCAC 02Q .0207]

The Permittee shall report by **June 30 of each year** the actual emissions of each air pollutant listed in 15A NCAC 02Q .0207(a) from each emission source within the facility during the previous calendar year. The report shall be in or on such form as may be established by the Director. The accuracy of the report shall be certified by a responsible official of the facility.

Y. **Confidential Information** [15A NCAC 02Q .0107 and 02Q .0508(i)(9)]

Whenever the Permittee submits information under a claim of confidentiality pursuant to 15A NCAC 02Q .0107, the Permittee may also submit a copy of all such information and claim directly to the EPA upon request. All requests for confidentiality must be in accordance with 15A NCAC 02Q .0107.

Z. **Construction and Operation Permits** [15A NCAC 02Q .0100 and .0300]

A construction and operating permit shall be obtained by the Permittee for any proposed new or modified facility or emission source which is not exempted from having a permit prior to the beginning of construction or modification, in accordance with all applicable provisions of 15A NCAC 02Q .0100 and .0300.

AA. **Standard Application Form and Required Information** [15A NCAC 02Q .0505 and .0507]

The Permittee shall submit applications and required information in accordance with the provisions of 15A NCAC 02Q .0505 and .0507.

BB. **Financial Responsibility and Compliance History** [15A NCAC 02Q .0507(d)(4)]

The DAQ may require an applicant to submit a statement of financial qualifications and/or a statement of substantial compliance history.

CC. **Refrigerant Requirements (Stratospheric Ozone and Climate Protection)** [15A NCAC 02Q .0501(e)]

1. If the Permittee has appliances or refrigeration equipment, including air conditioning equipment, which use Class I or II ozone-depleting substances such as chlorofluorocarbons and hydrochlorofluorocarbons listed as refrigerants in 40 CFR Part 82 Subpart A Appendices A and B, the Permittee shall service, repair, and maintain

such equipment according to the work practices, personnel certification requirements, and certified recycling and recovery equipment specified in 40 CFR Part 82 Subpart F.

2. The Permittee shall not knowingly vent or otherwise release any Class I or II substance into the environment during the repair, servicing, maintenance, or disposal of any such device except as provided in 40 CFR Part 82 Subpart F.
3. The Permittee shall comply with all reporting and recordkeeping requirements of 40 CFR 82.166. Reports shall be submitted to the EPA or its designee as required.

DD. Prevention of Accidental Releases - Section 112(r) [15A NCAC 02Q .0508(h)]

If the Permittee is required to develop and register a Risk Management Plan with EPA pursuant to Section 112(r) of the Clean Air Act, then the Permittee is required to register this plan in accordance with 40 CFR Part 68.

EE. Prevention of Accidental Releases General Duty Clause - Section 112(r)(1) – FEDERALLY-ENFORCEABLE ONLY

Although a risk management plan may not be required, if the Permittee produces, processes, handles, or stores any amount of a listed hazardous substance, the Permittee has a general duty to take such steps as are necessary to prevent the accidental release of such substance and to minimize the consequences of any release.

FF. Title IV Allowances [15A NCAC 02Q .0508(i)(1)]

This permit does not limit the number of Title IV allowances held by the Permittee, but the Permittee may not use allowances as a defense to noncompliance with any other applicable requirement. The Permittee's emissions may not exceed any allowances that the facility lawfully holds under Title IV of the Federal Clean Air Act.

GG. Air Pollution Emergency Episode [15A NCAC 02D .0300]

Should the Director of the DAQ declare an Air Pollution Emergency Episode, the Permittee will be required to operate in accordance with the Permittee's previously approved Emission Reduction Plan or, in the absence of an approved plan, with the appropriate requirements specified in 15A NCAC 02D .0300.

HH. Registration of Air Pollution Sources [15A NCAC 02D .0202]

The Director of the DAQ may require the Permittee to register a source of air pollution. If the Permittee is required to register a source of air pollution, this registration and required information will be in accordance with 15A NCAC 02D .0202(b).

II. Ambient Air Quality Standards [15A NCAC 02D .0501(c)]

In addition to any control or manner of operation necessary to meet emission standards specified in this permit, any source of air pollution shall be operated with such control or in such manner that the source shall not cause the ambient air quality standards in 15A NCAC 02D .0400 to be exceeded at any point beyond the premises on which the source is located. When controls more stringent than named in the applicable emission standards in this permit are required to prevent violation of the ambient air quality standards or are required to create an offset, the permit shall contain a condition requiring these controls.

JJ. General Emissions Testing and Reporting Requirements [15A NCAC 02Q .0508(i)(16)]

Emission compliance testing shall be by the procedures of Section .2600, except as may be otherwise required in Rules .0524, .0912, .1110, .1111, or .1415 of Subchapter 02D. If emissions testing is required by this permit or the DAQ or if the Permittee submits emissions testing to the DAQ to demonstrate compliance, the Permittee shall perform such testing in accordance with 15A NCAC 02D .2600 and follow the procedures outlined below:

1. The owner or operator of the source shall arrange for air emission testing protocols to be provided to the Director prior to air pollution testing. Testing protocols are not required to be pre-approved by the Director prior to air pollution testing. The Director shall review air emission testing protocols for pre-approval prior to testing if requested by the owner or operator at least **45 days** before conducting the test.
2. Any person proposing to conduct an emissions test to demonstrate compliance with an applicable standard shall notify the Director at least **15 days** before beginning the test so that the Director may at his option observe the test.
3. The owner or operator of the source shall arrange for controlling and measuring the production rates during the period of air testing. The owner or operator of the source shall assure that the equipment or process being tested is operated at the production rate that best fulfills the purpose of the test. The individual conducting the

emission test shall describe the procedures used to obtain accurate process data and include in the test report the average production rates determined during each testing period.

4. Two copies of the final air emission test report shall be submitted to the Director not later than **30 days** after sample collection unless otherwise specified in the specific conditions. The owner or operator may request an extension to submit the final test report. The Director shall approve an extension request if he finds that the extension request is a result of actions beyond the control of the owner or operator.
 - a. The Director shall make the final determination regarding any testing procedure deviation and the validity of the compliance test. The Director may:
 - i. Allow deviations from a method specified under a rule in this Section if the owner or operator of the source being tested demonstrates to the satisfaction of the Director that the specified method is inappropriate for the source being tested.
 - ii. Prescribe alternate test procedures on an individual basis when he finds that the alternative method is necessary to secure more reliable test data.
 - iii. Prescribe or approve methods on an individual basis for sources or pollutants for which no test method is specified in this Section if the methods can be demonstrated to determine compliance of permitted emission sources or pollutants.
 - b. The Director may authorize the Division of Air Quality to conduct independent tests of any source subject to a rule in this Subchapter to determine the compliance status of that source or to verify any test data submitted relating to that source. Any test conducted by the Division of Air Quality using the appropriate testing procedures described in Section 02D .2600 has precedence over all other tests.

KK. Reopening for Cause [15A NCAC 02Q .0517]

1. A permit shall be reopened and revised under the following circumstances:
 - a. additional applicable requirements become applicable to a facility with remaining permit term of three or more years;
 - b. additional requirements (including excess emission requirements) become applicable to a source covered by Title IV;
 - c. the Director or EPA finds that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit; or
 - d. the Director or EPA determines that the permit must be revised or revoked to assure compliance with the applicable requirements.
2. Any permit reopening shall be completed or a revised permit issued within 18 months after the applicable requirement is promulgated. No reopening is required if the effective date of the requirement is after the expiration of the permit term unless the term of the permit was extended pursuant to 15A NCAC 02Q .0513(c).
3. Except for the state-enforceable only portion of the permit, the procedures set out in 15A NCAC 02Q .0507, .0521, or .0522 shall be followed to reissue the permit. If the State-enforceable only portion of the permit is reopened, the procedures in 15A NCAC 02Q .0300 shall be followed. The proceedings shall affect only those parts of the permit for which cause to reopen exists.
4. The Director shall notify the Permittee at least 60 days in advance of the date that the permit is to be reopened, except in cases of imminent threat to public health or safety the notification period may be less than 60 days.
5. Within 90 days, or 180 days if the EPA extends the response period, after receiving notification from the EPA that a permit needs to be terminated, modified, or revoked and reissued, the Director shall send to the EPA a proposed determination of termination, modification, or revocation and reissuance, as appropriate.

LL. Reporting Requirements for Non-Operating Equipment [15A NCAC 02Q .0508(i)(16)]

The Permittee shall maintain a record of operation for permitted equipment noting whenever the equipment is taken from and placed into operation. During operation the monitoring recordkeeping and reporting requirements as prescribed by the permit shall be implemented within the monitoring period.

MM. Fugitive Dust Control Requirement [15A NCAC 02D .0540]

As required by 15A NCAC 02D .0540 "Particulates from Fugitive Dust Emission Sources," the Permittee shall not cause or allow fugitive dust emissions to cause or contribute to substantive complaints or excess visible emissions beyond the property boundary. If substantive complaints or excessive fugitive dust emissions from the facility are observed beyond the property boundaries for six minutes in any one hour (using Reference Method 22 in 40 CFR, Appendix A), the owner or operator may be required to submit a fugitive dust plan as described in 02D .0540(f).

"Fugitive dust emissions" means particulate matter from process operations that does not pass through a process stack or vent and that is generated within plant property boundaries from activities such as: unloading and loading areas, process areas stockpiles, stock pile working, plant parking lots, and plant roads (including access roads and haul roads).

NN. **Specific Permit Modifications** [15A NCAC 02Q.0501 and .0523]

1. For modifications made pursuant to 15A NCAC 02Q .0501(c)(2), the Permittee shall file a Title V Air Quality Permit Application for the air emission source(s) and associated air pollution control device(s) on or before 12 months after commencing operation.
2. For modifications made pursuant to 15A NCAC 02Q .0501(d)(2), the Permittee shall not begin operation of the air emission source(s) and associated air pollution control device(s) until a Title V Air Quality Permit Application is filed and a construction and operation permit following the procedures of Section .0500 (except for Rule .0504 of this Section) is obtained.
3. For modifications made pursuant to 502(b)(10), in accordance with 15A NCAC 02Q .0523(a)(1)(C), the Permittee shall notify the Director and EPA (EPA - Air Planning Branch, 61 Forsyth Street SW, Atlanta, GA 30303) in writing at least seven days before the change is made. The written notification shall include:
 - a. a description of the change at the facility;
 - b. the date on which the change will occur;
 - c. any change in emissions; and
 - d. any permit term or condition that is no longer applicable as a result of the change.

In addition to this notification requirement, with the next significant modification or Air Quality Permit renewal, the Permittee shall submit a page "E5" of the application forms signed by the responsible official verifying that the application for the 502(b)(10) change/modification, is true, accurate, and complete. Further note that modifications made pursuant to 502(b)(10) do not relieve the Permittee from satisfying preconstruction requirements.

OO. **Third Party Participation and EPA Review** [15A NCAC 02Q .0521, .0522 and .0525(7)]

For permits modifications subject to 45-day review by the federal Environmental Protection Agency (EPA), EPA's decision to not object to the proposed permit is considered final and binding on the EPA and absent a third party petition, the failure to object is the end of EPA's decision-making process with respect to the revisions to the permit. The time period available to submit a public petition pursuant to 15A NCAC 02Q .0518 begins at the end of the 45-day EPA review period.

ATTACHMENT

List of Acronyms

AOS	Alternate Operating Scenario
BACT	Best Available Control Technology
Btu	British thermal unit
CAA	Clean Air Act
CAIR	Clean Air Interstate Rule
CEM	Continuous Emission Monitor
CFR	Code of Federal Regulations
DAQ	Division of Air Quality
DEQ	Department of Environmental Quality
EMC	Environmental Management Commission
EPA	Environmental Protection Agency
FR	Federal Register
GACT	Generally Available Control Technology
HAP	Hazardous Air Pollutant
MACT	Maximum Achievable Control Technology
NAA	Non-Attainment Area
NCAC	North Carolina Administrative Code
NCGS	North Carolina General Statutes
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO_x	Nitrogen Oxides
NSPS	New Source Performance Standard
OAH	Office of Administrative Hearings
PM	Particulate Matter
PM₁₀	Particulate Matter with Nominal Aerodynamic Diameter of 10 Micrometers or Less
POS	Primary Operating Scenario
PSD	Prevention of Significant Deterioration
RACT	Reasonably Available Control Technology
SIC	Standard Industrial Classification
SIP	State Implementation Plan
SO₂	Sulfur Dioxide
tpy	Tons Per Year
VOC	Volatile Organic Compound